

CITY OF CONWAY
CITY OF CONWAY STREET DEPARTMENT
BID INVITATION

Bid Number: 2010-34

BID OPENING LOCATION:
 City of Conway Mayo's Office
 1201 Oak Street
 Conway, AR 72032

MAIL TO:
 City of Conway Mayor's Office
 1201 Oak Street
 Conway, AR 72032

DELIVER TO:
 City of Conway Mayor's Office
 1201 Oak Street
 Conway, AR 72032

Bid Opening Date: August 31, 2010 Time: 10:00 am

Sealed bids for furnishing the commodities and/or services described below, subject to the Conditions on the reverse hereof and as may be attached hereto will be received at the above-noted mail and delivery locations until the above-noted bid opening date and time, and then publicly opened at the above-noted bid opening location. **Bids must be submitted on this form, with attachments when appropriate, or bids will be rejected. Late bids and unsigned bids will not be considered.**

In compliance with this Bid Invitation and subject to all the Conditions thereof, the undersigned offers and agrees to furnish any and all items upon which prices are quoted, at the price set opposite each item.

Company Name: _____

Name (Type or Print): _____

Address: _____

Title: _____

Phone: _____ Fax: _____

City: _____ State: _____ Zip: _____

E-mail Address: _____

Federal Tax ID or Social Security No.: _____

Signature: _____
 Signature must be original (not photocopied) and in ink. Unsigned bids will be rejected.

Item No.	Description	Quantity	Unit	Unit Price	Amount
1.	<p>Medium Duty Dump Truck – 26,000 Lb GVWR In accordance with the attached specifications</p> <p>FOB: 1 ea. – City of Conway Street Department</p> <p>Contact Ben Brown 501-450-6165 for clarification of specifications and additional information. Truck proposed to furnish: Make _____ Model _____ Warranty _____</p> <p>If any literature and/or specifications of items conflict with City of Conway specifications, The conflict(s) shall be specifically noted, corrected and submitted with the bid on a separate Letterhead.</p> <p>Note: Bid amount shall include all applicable taxes, fees, freight and delivery cost.</p> <p>The successful bidder will be required to complete delivery within 45 days after award.</p>	1	ea.		
				TOTAL BID	



City of Conway – Mayor’s Office
Terms & Conditions
www.cityofconway.org
Important – Read Carefully

By Submission of bid, bidder certifies that he has read all terms and conditions and that bid is submitted in accordance therewith.

1. Prices quoted will be considered to be net prices unless otherwise stated by the bidder. Cash discounts requiring payments in less than 30 days will not be considered in making awards.
2. Prices quoted shall be FOB Conway unless otherwise specifically stated on proposal. In either case, delivery charges must be prepaid.
3. All charges including taxes, shipping, freight, and any miscellaneous taxes shall be included in prices quoted, if applicable.
4. Bidder certifies that he will make delivery of items for which he bids within 10 days after receipt of award – *unless otherwise specifically stated*. Time of delivery in excess of 10 days may be considered a factor in making awards.
5. In case of default of contractor in making deliveries as per contract, the City may procure the articles or services from other sources and hold the contractor responsible for all excess costs occasioned thereby. Bidder’s record as to satisfactory performance under previous contracts will be considered a factor in making awards and retention on bid lists.
6. The City reserves the right to reject any or all bids, in part or in whole and to waive information in bids received.
7. If not otherwise specified, bidder must furnish brand names with catalog number, if any, on items which are offered as “equal.” In all such cases the burden of establishing equality is upon the bidder and failure to do so within a reasonable time may result in rejection. Alternative bids will not be considered unless no other type bid for the item is received.
8. In the case of equal or tie bids, preference will be given to Arkansas bidders. Other than as stated in the first sentence, awards on tie bids will be made at the discretion of the purchasing official. In such cases, “splitting” will be avoided and awards of previous contract(s) to one or more of the bidders will not be a factor.
9. In the event that bidder is unable to furnish all of an item, bids on portions thereof may be considered.
10. Final inspections and acceptance or rejection will be made after delivery. Items rejected because of non-conformance shall be removed and replaced immediately with those which meet specifications, all at the expense of the contractor. In the event that necessity requires the use of non-conforming items, payment therefore will be made at a proper reduction in price which shall be not greater than contractor’s actual cost by purchase, fabrication, manufacture or other production method plus transportation paid to carriers. All costs in connection with testing items that do not meet specifications shall be paid by contractor.
11. Quality, time of performance, probability of performance, and location of bidder will be factors in awards of all contracts.
12. The City reserves the right to purchase any, all or none of the items listed, in combinations thereof that may be in the best interest of the City of Conway.
13. The City reserves the right to change any specifications, terms and/or conditions at any time, with adequate notice in writing to bid invitees of those changes, if any.
14. The City is qualified for “GSA” pricing schedules, *if available and applicable*.
15. The City reserves the right to waive any informalities or minor defects, but this shall not be construed to indicate waiver of any specification, term and/or condition unless in the best interest of the City in the judgment of the City.
16. **CONSTRUCTION/INSTALLATION:** Any construction work that is worth \$20,000 or more must comply with Arkansas Code Annotated § 22-9-204.
17. **Arkansas Prevailing Wage Law A.C.A. §22-9-301 through 3-15:** The City of Conway, general contractors or any subcontractors is subject to the Arkansas Prevailing Wage Law, A.C.A. **§22-9-301 through 3-15**. The Labor Standards Division enforces laws related to [prevailing wage](#) (PDF). Arkansas’s prevailing wage law is commonly referred to as the "little Davis-Bacon Act." The law requires the division to issue a wage determination for each public works project where the cost of all labor and materials exceeds \$75,000. *Exemptions are public school construction; work done for or by any drainage, improvement, or levee district; highway, road, street or bridge construction and maintenance, or related work contracted for or performed by incorporated towns, cities, counties, or the Arkansas Highway Department.* If you need a copy of the Prevailing wage Regulation and Laws that are required; this information is available at http://www.arkansas.gov/labor/pdf/prevailing_wage_regs.pdf.
18. **PROHIBITED INTEREST CONDITION:** No official of the City authorized on behalf of the City to specify, plan, design, negotiate, make, accept or approve, or take part in specifying, planning, negotiating, making, accepting or approving any construction or material purchase contract or any subcontract in connection with any purchase made by the City of Conway shall become directly or indirectly interested personally in the purchase in the purchase or any part thereof.
19. **EQUAL OPPORTUNITY IN EMPLOYMENT:** All qualified bidders will receive consideration without regard to race, color, religion, sex, age, disability or national origin.

ACCEPTANCE (City of Conway Use Only)

Bid No. #2010-34. Accepted as to items numbered - Medium Duty Dump Truck – 26,000 Lb GRWR

Date _____ By _____

City of Conway Mayor’s Officer

CITY OF CONWAY STREET DEPARTMENT

SPECIFICATIONS

FOR

Medium Duty Dump Truck

1. **General:** This specification is intended to cover a medium duty dump truck. Truck must be built for the U.S. market. Machines manufactured for foreign markets will not be accepted. All specifications are a minimum specification.
2. **Engine:** 260 min. horsepower diesel wet sleeved engine. 1,000 watt engine heater
3. **Transmission:** Allison 2500 series transmission with PTO provision and heavy duty cooler.
4. **Exhaust:** Single horizontal exhausts system.
5. **Air cleaner:** Heavy duty dry type air cleaner
6. **Hood:** Tilt hood
7. **Steering:** Power steering
8. **Color:** Red
9. **GVWR:** 26,000 lbs or less
10. **Rear Axle:** 19,000 lbs minimum
11. **Rear springs:** 23,000 lbs rear leaf springs with 4,500 lb auxiliary minimum.
12. **Rear axle ratio:** Single speed 5.57
13. **Front Axle:** 10,000 lbs capacity
14. **Brakes:** Air brakes, 15 X 4 front with automatic slack adjusters. 16.5 X 7 rear with automatic slack adjusters rear.
15. **Tires:** 11R22.5G (14 ply) with hub and pilot wheels
16. **Fuel Tank:** 50 gallon right hand step fuel tank
17. **Interior:** Vinyl interior color- medium gray
18. **Seats:** Air ride bucket seats driver and passenger.
19. **Battery:** Dual battery 1,500 cold cranking amps
20. **Charging:** 100 amp alternator
21. **Radio:** AM/FM radio with clock
22. **Lights:** Double faced signal light in front. LED rear tail lights, back up and marker lights
23. **Mirrors:** West coast mirrors
24. **Manuals:** The successful bidder shall furnish Operator's Instruction Manual with each unit delivered. In addition, one (1) copy of Operator's Instruction Manual. The successful bidder is to provide Shop Repair Manuals and Parts Manuals.
25. **Training:** The successful bidder shall furnish qualified personnel to instruct CITY OF CONWAY operators and service technicians on operation and maintenance of units purchased under this specification. In addition, the successful bidder shall furnish information on any factory service schools, which would be available for CITY OF CONWAY service technicians.
26. **Warranty:** Truck purchased under this specification shall be warranted to be free of defects in material and workmanship for a period of not less than 24 months from the date the unit is placed in service. Warranty shall include all parts and labor. This is a minimum warranty required for bid to be considered. Any warranty by the manufacture on components of the unit purchased that exceeds the minimum warranty specified (And is so advertised and is included in manufacture's data sheets) shall be passed on to the city of Conway.

Dump Bed Specification

1. General: This specification is intended to cover 10'-8 yard dump body. Body must be built for the U.S. market. Machines manufactured for foreign markets will not be accepted. All specifications are a minimum specification.
2. Capacity: Dump body shall be approximately 8 cubic yards, to the top of the tailgate. It shall be approximately 6 cubic yards, water level capacity to the top of the sides. Side height shall be 35 inches and tailgate size shall be 41 inches.
3. Front: Shall be fabricated from 3/16" AR400 steel plate. Front shall be 6" taller than sides.
4. Sides: Shall be fabricated from 3/16" AR400 steel plate. Front shall be braced to sides with board pockets 1-3/4" wide to accept standard board. Side top rail shall be 4 inch square by 3/16 inch tubing. Side fenders shall have approximately 45 degree slope for self-cleaning. Sides shall have rear corner posts full height and extend to the bottom of rear bumper. There shall be upper and lower banjo eye chain keepers welded to the rear corner posts for controlling door opening and the top to allow tailgate to lay flat approximately with the floor when hinged at the bottom.
5. Floor: Shall be fabricated from 3/16" AR400 steel plate. Shall have approximately an 18" radius from sides to floor. Floor and sides shall be constructed of one continuous from the top of one side to the top of the opposite side. Body shall not be constructed of more than two pieces of metal from front to rear of body. Mainframe shall be an 8-inch by 2 inch by 3/16" full-length tube.
6. Tailgate: Shall be fabricated from 3/16" AR400 steel plate. Upper tailgate hinges shall be offset approximately 4-3/8", shall have a 1-1/4" diameter greaseable pin mounted in hardened bushings. Lower latch pins shall be 1-1/4" diameter. Tailgate latch shall be air operated from a switch in the cab.
7. Coal Chute: Tailgate shall have a coal chute that opens with a handle from either side of tailgate that opens 20 inches wide 12 inches tall.
8. Apron: Shall be fabricated from 1/4 inch high-strength steel with minimum yield strength of 50,000 PSI. Shall be 12 inches long with a 1-1/2 inch rear lip, two full depth side plates, and three bottom support gussets.
9. Cab Shield: Shall be fabricated from 10 gauge high-strength steel with minimum yield strength of 50,000 PSI. Shall be 87.5 inches wide, shall project over truck cab at least 24 inches, and shall attach to dump body by welding.
10. Sideboards: shall have sideboards tapered from cab protector to tailgate.
11. Tarp: shall have a manual tarp system equal to the cab pro mounted manual tarp system.
12. Hoist: Single acting telescopic front mount with minimum 18 ton lift capacity. Dump angle should not be less than 50 degrees. A body prop shall be installed to support empty body in raised position for maintenance.
13. Pump: Shall be cast iron gear pump with 2-inch gear and internal valve. Pump should produce a minimum 18 GPM at 1000 RPM.
14. Controls: shall have dual lever air vale type one for PTO engage disengage and one for bed lift hold and lower.
15. PTO: hot shift PTO for automatic transmission.
16. Hitch: Pintle hitch mounted on a 3/4 inch plate with gussets welded back to frame and two d rings installed for safety chains. Glad hands shall be installed for brakes and the electric plug for trailer lights shall be installed.
17. Lights and Reflectors: Shall meet federal motor vehicle safety standard No. 108. Lights shall be LED type. All clearance lights shall be recessed and mounted in rubber grommets.
18. Finish: Exterior metal surfaces shall be shot-blasted and washed with industrial degreaser. Painted with one coat of automotive primer and two coats of automotive acrylic black paint to a finished